



Antibacterial Activity of the Petroleum Ether Seed Extract of <i>S. cumini</i> Wild and Cultivar										
Microorganisms	Amoxicillin (10 µg ml)		Concentration of Zone of inhibition (mm)							
			25µg		50µg		75µg		100µg	
	W	C	W	C	W	C	W	C	W	C
<i>Escherichia coli</i>	10	9	7	5	7	7	8	8	8	8
<i>Staphylococcus aureus</i>	13	9	7	5	7	5	9	8	8	7
<i>Pseudomonas aeruginosa</i>	13	8	9	5	7	8	9	7	8	7
<i>Bacillus subtilis</i>	14	8	7	6	8	5	9	7	7	7
<i>Enterobacter</i>	12	5	7	6	8	5	9	7	9	8

Antibacterial Activity of the Aqueous Seed Extract of <i>S. cumini</i> Wild and Cultivar										
Microorganisms	Amoxicillin (10 µg/ml)		Concentration (µg ml ⁻¹) Zone of inhibition (mm)							
			25µg		50µg		75µg		100µg	
	W	C	W	C	W	C	W	C	W	C
<i>Escherichia coli</i>	14	12	18	8	11	-	11	11	13	10
<i>Staphylococcus aureus</i>	13	12	11	8	11	-	11	12	13	11
<i>Pseudomonas aeruginosa</i>	9	8	-	-	-	-	-	-	-	-
<i>Bacillus subtilis</i>	11	19	16	8	10	-	10	11	12	12
<i>Enterobacter</i>	13	15	11	8	9	-	11	10	15	11

